THE GROVE SPA

& BOUTIQUE

Lip Flip Pre-Treatment

Please review and follow our pre-treatment care plan. Failure to do so could result in cancellation of your treatment and forfeiture of your deposit. This service can not be performed on anyone who is pregnant or nursing.

Pre Treatment: 2 Weeks Before

• Schedule your appointment at least 2 weeks prior to a special event. Redness, swelling and bruising may be apparent in that time period.

Pre Treatment: 2-3 Days Before

- It is recommended to discontinue the use of Aspirin, NSAIDS, Gingko Biloba, Garlic, Ginseng, St. John's Wort, Flax Oil, Cod Liver Oil, Vitamin A, Vitamin E or any other essential fatty acids at least 3 days to 1 week before and after treatment to minimize bruising or bleeding. Please consult with your primary physician prior to discontinuing any medications.
- Avoid alcohol, caffeine, Niacin supplement, high-sodium foods, high sugar foods, refined carbohydrates, spicy foods and cigarettes 24-48 hours before and after your treatment. All of these factors may increase risk of bruising and swelling.
- Starting Arnica supplements at least 2 days prior to injections may help with bruising.
- Let the provider know if you have a history of cold sores. An antiviral may be prescribed.
- You may not have an active rash in the area being treated.